


(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
8 November 2001 (08.11.2001)

PCT

(10) International Publication Number
WO 01/83015 A1

(51) International Patent Classification?: **A61M 16/04**

(21) International Application Number: **PCT/US01/13495**

(22) International Filing Date: **27 April 2001 (27.04.2001)**

(25) Filing Language: **English**

(26) Publication Language: **English**

(30) Priority Data: **60/201.449** **3 May 2000 (03.05.2000)** **US**

(71) Applicant and
(72) Inventor: **FAUZA, Dario, O. [US/US]; 17 Ledyard Street, Wellesley, MA 02481-1607 (US).**

(74) Agents: **PABST, Patrea, L. et al.; Arnall Golden & Gregory, LLP, 2800 One Atlantic Center, 1201 West Peachtree Street, Atlanta, GA 30309-3450 (US).**

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.


(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

[Continued on next page]

(54) Title: **INTEGRAL BALLOON TRACHEOSTOMY TUBE**



(57) Abstract: The present invention relates to a tracheostomy device with an inflatable balloon (1) attached to a hollow tube (2) by means of two areas of adhesion (1a and 1b) whose orthogonal projections are not contiguous or, in other words, are at an angle () other than 180°. This balloon (1) communicates with the environment by means of a capped, valved flexible conduit (4). A movable flange (3) allows for extra fixation of the device around a patient's neck. A displacable inner tube (5) can be removed in case of severe acute obstruction, allowing for immediate establishment of air flow. The design and distribution of the components of this tracheostomy device contribute to increased safety and comfort of tracheostomies by: enhancing its anchorability, hence better stabilizing it within the trachea; improving its placement within the airway; increasing the volume, hence lowering the pressure inside its balloon (1); enhancing the balloon's (1) volume-to-pressure curve; completely sealing the trachea from the tracheostomy wound, larynx and pharynx; shortening the tube (2) size and providing a movable neck flange (3).

WO 01/83015 A1



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

INTEGRAL BALLOON TRACHEOSTOMY TUBE

Field of the Invention

The present invention generally relates to a surgical device used in a tracheostomy, which is a surgically produced airway introduced directly through the trachea, below the vocal cords.

Background of the Invention

The vast majority of tracheostomy tubes in current use follow a basic concept consisting of a curved tube which serves as an artificial passage for exchange of air between a patient and an air source, typically either atmospheric air or a mechanical respirator. See, for example U.S. Patent No. 5,983,895 to Turner. The tube often is enveloped at its caudal end by a small, inflatable balloon, also called a cuff, which is fillable with a fluid, such as air, as it is often necessary to employ positive inspiratory pressure by means of a respirator. See for example, U.S. Patent No. 5,056,515 to Abel and U.S. Patent No. 4,791,920 to Fauza. The balloon adheres to the internal lining of the trachea in its cross-section in order to prevent air insufflated by a respirator into a patient from escaping to the environment through the tracheostomy or the larynx and pharynx, which enables the air to reach the lower airways and eventually the pulmonary alveoli. The balloon also aids in supporting the tube inside the trachea.

These conventional tube designs, however, contribute to a variety of frequent complications associated with tracheostomies. Most of these complications are consequences of both the instability of the tube inside the trachea and the pressure inside the balloon.

Instability of the Trachea Tube

Trachea tubes are one of the few, if not only, ballooned tubes currently used in different areas of the human body that are not truly anchored within the body. Consequently, the tube moves a great deal inside the airway, as well as through the tracheal stoma and the wound. This problem is universally observed. Tracheostomy tubes frequently are

misplaced inside the trachea, because of this instability and lack of anchorage, leading to a number of different ventilatory problems.

Tracheostomy tubes also can be accidentally dislocated, sometimes coming off the airway completely, with possible impaired ventilation, brain damage, or even death in some cases, as reintroduction of the tube can be very difficult.

The continual movement of tracheostomy tubes, for example, due to the rhythm of an artificial ventilator and movements by the patient, is responsible for direct damage to the trachea, mainly at the cranial level of the stoma. One of the most common complications of tracheostomy is stenosis (or stricture) of the trachea at the level of the stoma, which is primarily caused by continual movement of the tube against that area of the trachea, directly damaging the cartilaginous rings. According to studies, a significant proportion of the patients that undergo tracheostomy will have some degree of stenosis of the trachea, usually at the cranial level of the stoma, where the curved portion of the tube produces even more injury as a consequence of its continual movement. This stenosis in turn may produce several long term clinical manifestations, such as intolerance to exercise and recurrent infections, which may require in some patients removal of part of the trachea.

The instability of the tube can also be responsible for other more dramatic complications, for example, damage to the trachea distal (or caudal) to the stoma which results in total perforation of the trachea or structures adjacent the trachea, including the esophagus or the innominate artery. If the innominate artery is perforated, there is a so-called tracheo-innominate artery fistula, with mortality rates around 95%. This kind of fistula may also result from an inflammatory reaction around the stoma that is more intense if there is repeated injury to the area from continual movement of the tube. Those more dramatic, life-threatening complications are rare, but still a possibility nowadays.

Balloon Pressure

High pressures inside the balloon have long been identified as a major cause of damage to the tracheal wall. Such damage may also result in stenosis and/or perforation of the trachea. The concept of a high-volume-low-pressure balloon was introduced in the 1970s, with great impact on the market, exactly because it significantly reduced the pressures inside the balloon and, consequently, the rate and severity of many complications, as compared to previous low-volume-high-pressure balloons. This balloon concept has been used as the "standard" for approximately 30 years. The high-volume-low-pressure balloon, however, is still linked to complications, primarily for two reasons: (1) after a certain degree of expansion, the volume-to-pressure curve of the balloon changes towards that of a low-volume-high-pressure balloon because there is little additional volume inside the balloon, depending on how tight the tube fits inside the trachea; and (2) the continual movement of the tube makes the volume (and thus the pressure) in the balloon very unstable, and also directly forces the balloon against the tracheal wall. Consequently, stenosis and perforation of the trachea still occur at or near the location of the balloon.

It would therefore be desirable to provide a tracheostomy tube and balloon design that is more stable within the patient than currently available tubes, while minimizing pressures within the balloons, thus reducing the occurrence of stenosis and perforations.

Other Design Deficiencies

Infection remains a primary complication of tracheostomy. According to recent reports, approximately 66% of patients with tracheostomies have nosocomial pneumonia and 100% of them have colonization of the airways with bacteria and/or fungi. These complications are primarily due to direct communication between the trachea and the wound through the stoma (and consequently between the trachea and the environment) and aspiration of contents of the pharynx. It would be advantageous to develop a tracheostomy tube and balloon design that is minimizes or prevents infection resulting from these sources.

Another relatively frequent and potentially major complication is obstruction of the tracheostomy tube by mucous plugs. Constant toilette of the tube is mandatory. Another, comparatively minor, complication is the discomfort and/or skin damage caused by straps around the neck that are required to prevent displacement of the tracheostomy tube.

It is therefore an object of this invention to a tracheostomy tube and balloon assembly that is stable within the patient and which minimizes pressures within the balloon in order to avoid or minimize complications associated with the use of standard tracheostomy tube designs.

10

Summary of the Invention

The present invention relates to a tracheostomy tube with the format and distribution of its balloon designed so as to increased safety of tracheostomies by: enhancing the tube's anchorability, hence better stabilizing it within the trachea; improving tube placement within the airway; increasing volume, hence lowering the pressure inside the balloon; enhancing the balloon's volume-to-pressure curve; completely sealing the trachea from the tracheostomy wound, larynx and pharynx; shortening the tube size and providing a movable neck flange.

20

Brief Description of the Drawings

Figure 1 is a side elevational view of a preferred embodiment of the tracheostomy tube.

Figure 2 is a perspective view of the tracheostomy tube of Figure 1.

Figure 3 is a side elevational view of the inflatable balloon component of the tracheostomy tube of Figure 1.

25

Detailed Description of the Invention

The tracheostomy tube of the present invention can be better understood with reference to Figures 1-3, which are described below.

30

The main difference of the present invention, when compared with the current state of the art, is its balloon (1). It has an "integral" design, expanding not only around the tube (2), as do the current models, but also

cranially to it and to the stoma. This is achieved by the fact that the ortogonal projections of the two areas of attachment between this balloon (1) and the tube (2), namely (1a) and (1b), are not contiguous or, in other words, are at an angle () other than 180° , as it is the case in current models. The six most

5 important consequences of that are: a) this balloon (1) design anchors the tube (2) inside the trachea because it expands both distally and cranially to the stoma, stabilizing the tube (2) completely and consequently dramatically minimizing, if not completely avoiding, movement or "play" of the tube (2) through the trachea, the stoma and the wound; b) this balloon (1) design, by

10 definition, also ensures that the tip of the tube (2) is always properly placed inside the trachea and never pointing in any direction other than the distal airways and lungs; c) the cranial expansion of this balloon (1) greatly enlarges its volume and consequently significantly lowers the pressure inside it; d) the cranial expansion of this balloon (1) acts as a sort of "escape valve",

15 making its volume-to-pressure curve much better than that of the current ones, that is, even with the injection of large volumes of air inside the balloon (1), there is very little increase of the pressure inside it; e) this balloon (1) completely seals the tracheal stoma, impeding direct communication between the trachea and the wound or the environment, thus

20 minimizing the risk of contamination or infection; and f) the better tracheal sealing produced by this balloon (1) minimizes the chances of aspiration from the pharynx.

The tube (2) itself is practically the same as that found in current models. The only difference is that, because of the above-mentioned

25 characteristics of the balloon (1), it is shorter, which in turn: a) minimizes even more the possibility of "play" or movement of the tube (2); b) lowers, if not totally eradicates, the risk of tracheo-innominate artery fistula (because it doesn't reach the area of intersection of the trachea with that artery); c) diminishes the resistance to air flow; and d) provides for an easier toilette of

30 the tube (2) through suction catheters. This tube can have double lumen, in other words an internal movable inner tube (5), which can be removed in case of severe acute obstruction of it, for example by mucous secretions,

allowing for immediate establishment of air flow through the outer tube (2) and for easier cleaning of the inner tube (5).

Insufflation of the balloon (1) is by means of a capped, valved flexible conduit (4) that connects the balloon (1) to the environment. A
5 movable neck flange (3) adds to safety by allowing strap fixation around the patient's neck at different distances from the balloon (1), depending on the local anatomy. The possibility to move this flange (3) is helpful, given the absolute anchorability of the tube (2).

The resulting stability of this tube (2), the very low pressure inside its
10 balloon (1), its balloon's (1) volume-to-pressure curve and the shorter length of its tube (2) should all help to significantly minimize, if not completely eradicate, most, if not all, relevant complications of tracheostomy that are dependent on both the lack of anchorage of the current models and on the pressure profile of their balloons. Yet another advantage is that, because of
15 its balloon's (1) "integral" design, the trachea should stay totally sealed, isolated from the wound and the environment, at the same time that it is much more difficult for the patient to aspirate contents from the pharynx. As a consequence of all that, the rate and severity of infections should be much lower than those observed with the current models. Moreover, because this
20 tube (2) is so stable, the patient doesn't necessarily have to wear the sometimes uncomfortable straps around the neck.

The functions of the tracheostomy tube of present invention are the same as those achieved by current models, only at much higher levels of safety and comfort. No change is necessary in the well-established surgical
25 technique of tracheostomy itself for the device of the present invention to be employed.

The tracheostomy cannula of the invention may, starting from the basic concept described above, undergo some changes such as in its dimensions, which vary according to the patient's anatomical characteristics, as well as in
30 its design, which may present the following variations. The posterior, or cranial, aspect of the tube (2) and inner tube (5) may, or not, have an orifice that would permit the passage of air from the lungs to the vocal cords, thus

- allowing the patient to speak. For that variation of the basic design to be functional, however, yet another orifice would need to be present on the posterior or cranial aspect of the balloon (1) and such orifice would need to be sealable and in communication with the said orifice on the tube. Another
- 5 possible design variation is the presence of an extra capped, valved flexible conduit along the tube (2) and the balloon (1), that connects the posterior, or cranial, aspect of the balloon (1) inside the trachea to the environment, so that secretions eventually accumulating cranially to the tracheal stoma could be removed.

10

I claim:

1. A tracheostomy tube device comprising:

a hollow tube having a proximal end portion, a distal end portion, and a bend intermediate of the end portions, wherein the distal end portion is arranged for insertion through a patient's throat and tracheal stoma and into the tracheal lumen such that the distal end portion of the tube extends in a first direction within the tracheal lumen when the proximal end portion extends in a second direction through the tracheal stoma;

an inflatable balloon attached to the hollow tube both at the proximal end portion and at the distal end portion, providing for expansion of the balloon around both the proximal end portion and the distal end portions of the tube;

means for inflating and deflating the balloon; and

flange means connected to the proximal end portion of the tube, suitable for securing the distal end portion of the tube within the tracheal lumen, wherein the flange means provides an anchoring point external the patient's throat.



2. The tracheostomy tube device of claim 1 wherein the balloon can be inflated to completely seal the trachea (i) cranially and caudally to the tracheal stoma, and (ii) at the level of the tracheal stoma.

3. The tracheostomy tube device of claim 1 wherein the flange means is movable along at least a portion of the tube, so as to accommodate to different anatomic characteristics of the patient's neck.

4. The tracheostomy tube device of claim 1 wherein the means for inflating and deflating the balloon comprises a flexible conduit in communication with the balloon.

5. The tracheostomy tube device of claim 1 wherein the tube comprises a first orifice and the balloon comprises a second orifice sealable and in communication with the first orifice, through both of which air can flow to allow the patient to speak.

6. The tracheostomy tube device of claim 1 further comprising a flexible conduit along both the tube and the balloon connects the posterior, or cranial, aspect of the balloon, within the first direction inside the trachea, to the environment, such that secretions eventually accumulating cranially to the tracheal stoma can be removed.






Figure 3.

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/US 01/13495

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A61M16/04

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61M

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 3 889 688 A (EAMKAOW PRECHA) 17 June 1975 (1975-06-17) column 2, line 36 -column 3, line 60; figures 1-3	1-6
X	EP 0 106 780 A (IMPLANT TECHNOLOGIES INC) 25 April 1984 (1984-04-25) page 5, line 11 -page 6, line 13; figures 1,2	1,2,4-6
A	US 4 033 353 A (LA ROSA JOHN) 5 July 1977 (1977-07-05) column 3, line 10 -column 4, line 30; figures 1,2	1
A	US 3 543 751 A (SHEFFER MARCUS B) 1 December 1970 (1970-12-01)	



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

S document member of the same patent family

Date of the actual completion of the international search

15 October 2001

Date of mailing of the international search report

23/10/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Zeinstra, H

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 01/13495

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 3889688	A	17-06-1975	NONE	
EP 0106780	A	25-04-1984	US 4449523 A CA 1230704 A1 EP 0106780 A1 JP 59135064 A KR 9103361 B1 US 4573460 A	22-05-1984 29-12-1987 25-04-1984 03-08-1984 28-05-1991 04-03-1986
US 4033353	A	05-07-1977	NONE	
US 3543751	A	01-12-1970	NONE	